



## SPECIFICATIONS

Model	KC70			
Carrier type	One-way dump			
Machine weight	kg	510		
Max. loading capacity	kg	700		
Transmission	Gear type			
Travelling speed (Forward/Revers)	1st	km/h	0 - 1,4/0 - 1,3	
	2nd	km/h	0 - 2,7/0 - 2,6	
	3rd	km/h	0 - 4,4/0 - 4,3	
Engine	Model	Kubota OC60 (EPA)		
	Type	Oil and air-cooled, 4 cycle, diesel engine		
	Number of cylinders	1		
	Output	kW (PS)/rpm	4,1 (5,6) / 2900	
Dimensions	Overall length	mm	2300	
	Overall width	mm	880	
	Overall height	mm	1360 (1960/with ROPS)	
Bed inner size	Length	mm	1250	
	Width	mm	820	
	Height	mm	350	
	Capacity (Struck/Heaped)	ℓ	300/360	
	Undercarriage	Ground clearance	mm	130
Tumbler distance		mm	980	
Track centre-to-centre distance		mm	620	
Rubber shoe width		mm	200	
Max. dumping clearance		mm	380	
Max. dumping angle	degree	Approx. 68		
Dumping direction	Front			
Fuel tank capacity	ℓ	8,5		


\* Specifications are subject to change without notice for purpose of improvement.

## KUBOTA CRAWLER DUMPER

# KC70



## DIMENSIONS



Unit: mm



### KUBOTA EUROPE S.A.S.

19 à 25, Rue Jules - Vercurysse -  
Zone Industrielle - B.P. 50088  
95101 Argenteuil Cedex France  
Téléphone : (33) 01 34 26 34 34  
Télécopieur : (33) 01 34 26 34 99

### KUBOTA (U.K.) LTD

Dormer Road, Thame, Oxfordshire,  
OX93UN, U.K.  
Phone : 01844-268140  
F a x : 01844-216685

<http://www.kubota-global.net>

### KUBOTA Baumaschinen GmbH

Steinhauser Straße 100  
D-66482 Zweibrücken Germany  
Telefon : (49) 0 63 32 - 487 - 312  
F a x : (49) 0 63 32 - 487 - 101

Cat. No.8783-01-EU Printed in Japan '09-10D. ◊2

Ideal for moving material in confined spaces and over difficult terrain.

Compact, powerful and redesigned for better comfort, the new Kubota KC70 saves you time and trouble.

KUBOTA CRAWLER DUMPER  
**KC70**




**Foldable ROPS**

For extra protection, a foldable rollover protective structure is standard-equipped on the KC70. Folding the ROPS down lets you easily transport the crawler dumper on lorries, and travel under doorways to work indoors.



**Crawler Tension Adjusters with Built-in Springs**

The built-in springs fitted to the tension adjusters absorb shock in order to help prevent damage to the rubber crawler.




**Compact Design**

With an overall width of only 880 mm, the KC70 efficiently transports material through gates and doorways, between houses, buildings and many other narrow spaces.




**Bogie-type Under Rollers**

The bogie-type under rollers contribute to more stable travelling even over undulating terrain.



**Reinforced Rubber Crawlers**

Reinforced steel cores help lengthen the life of the rubber crawlers.



**Clean Environmentally Friendly Engine**

Tough and dependable, the oil and air-cooled Kubota diesel engine delivers high torque, enhanced power and optimal fuel efficiency to minimise operating costs. It also features cleaner emissions, quieter operation and is easier on the environment.

**Full-open Bonnet**

For fast and easy maintenance, the full-open bonnet gives clear access and an unfettered view of many vital internal mechanisms, such as the engine, radiator, and the oil and air filters.



**Comfortable & Easy Operation**

All levers and controls are easy to see and reach. The adjustable seat is redesigned for enhanced safety and better comfort to minimise fatigue.



**Electric Starter**

A simple turn of the key activates the engine.



**Large Load Capacity**

Though compact in size, the 700 kg load capacity of the KC70 outworks many wheelbarrows and saves manpower.

**Outstanding Dump Force**

The powerful hydraulic forward dump, with a maximum dumping angle of 68 degrees, empties material quickly and easily. It also allows spreading of loose material such as gravel.